



Jan Blanchard, CPC, CPMA

Coding for 2025 Pediatric Practice Success

Pediatric **Health** Network



Coding for 2025 Pediatric Practice Success

**27th Annual Business of Pediatrics
12/12/24**

Jan Blanchard, CPC, CPMA



Disclosure

S

- **Employee:**
- Physician's Computer Company (PCC),
Winooski, VT, US

Disclaimers

The information presented is shared for the sole purpose of examining medical coding approaches and issues.

Though every effort has been made to develop accurate materials, this guidance is informal and is not intended to be legal advice.

Decisions relating to the management of your practice, coding your work, setting your fees, etc., should be made independently.

Objectives

Review Relevant Outpatient
Pediatric Changes to:

ICD-10 Codeset

CPT Codeset



Coding vs. Billing

Coding: Guidelines, Manuals

Coders can help

Billing: Payers, Feds, States

Billers can help

202

5

ICD - 10 Changes

Effective 10/1/24



2025 ICD-10 Updates - Eff 10/1/24

- [2025 ICD-10 All Addenda \(zip file\)](#)
 - Changes only and they're FREE!!!
- [2025 ICD-10 Guidelines](#)
 - No guideline changes relevant to outpatient Pediatrics



Code Relationships

Excludes1: When two conditions cannot occur together (congenital vs. acquired, perinatal period vs. over 28 days old, e.g.)

R68.11 Excessive crying of infant (baby) *NO CHANGE*

Excludes1: excessive crying of child, adolescent, or adult (R45.83)

Code

Relationships

Excludes2: the condition excluded is not reported as part of the condition represented by the referenced code, but a patient may have both conditions at the same time.

P54.5 Neonatal cutaneous hemorrhage *NO CHANGE*

Type 2 Excludes:


bruising of scalp due to birth injury (P12.3)

cephalhematoma due to birth injury (P12.0)

ICD-10 2025 - Chapter 4 Endocrine, nutritional and metabolic diseases (E00-E89)

E66 Overweight and obesity

- Use Additional
 - Revise to “code to identify body mass index (BMI), if known, for adults (Z68.1-Z68.45) or pediatrics (Z68.5-)”
- E66.8 Other obesity
 - NEW:
 - E66.81 Obesity class
 - E66.811 Obesity, class 1
 - E66.812 Obesity, class 2
 - E66.813 Obesity, class 3
 - Add E66.89 Other obesity not elsewhere classified



ICD-10 2025 - Chapter 5 Mental,
Behavioral, Neurodevelopmental (F01-F99)

F50.01 Anorexia nervosa, restricting type

NEW:

- F50.010 Anorexia nervosa, ..., mild
- F50.011 Anorexia nervosa, ..., moderate
- F50.012 Anorexia nervosa, ..., severe
- F50.013 Anorexia nervosa, ..., extreme
- F50.014 Anorexia nervosa, ..., in remission
- F50.019 Anorexia nervosa, ..., unspecified

ICD-10 2025 - Chapter 5 Mental, Behavioral, Neurodevelopmental (F01-F99)

F50.02 Anorexia nervosa, binge eating/purging type

NEW CODES

- Add F50.020 Anorexia nervosa, ..., mild
- Add F50.021 Anorexia nervosa, ..., moderate
- Add F50.022 Anorexia nervosa, ..., severe
- Add F50.023 Anorexia nervosa, ..., extreme
- Add F50.024 Anorexia nervosa, ..., in remission
- Add F50.029 Anorexia nervosa, ..., unspecified

ICD-10 2025 - Chapter 5 Mental, Behavioral, Neurodevelopmental (F01-F99)

F50.2 Bulimia nervosa

NEW CODES

- F50.20 Bulimia nervosa, unspecified
- F50.21 Bulimia nervosa, mild
- F50.22 Bulimia nervosa, moderate
- F50.23 Bulimia nervosa, severe
- F50.24 Bulimia nervosa, extreme
- F50.25 Bulimia nervosa, in remission

ICD-10 2025 - Chapter 5 Mental,
Behavioral, Neurodevelopmental (F01-F99)

F50.81 Binge eating disorder

NEW CODES

- F50.810 Binge eating disorder, mild
- F50.811 Binge eating disorder, moderate
- F50.812 Binge eating disorder, severe
- F50.813 Binge eating disorder, extreme
- F50.814 Binge eating disorder, in remission
- F50.819 Binge eating disorder, unspecified

ICD-10 2025 - Chapter 5 Mental, Behavioral, Neurodevelopmental (F01-F99)

F98 Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence

- F98.2 Other feeding disorders of infancy and childhood
 - Revise to F98.21 Rumination disorder of infancy and childhood
 - Add Rumination disorder in infancy or childhood, in remission
- Add Excludes1: rumination disorder in adults (F50.84)
- No Change F98.3 Pica of infancy and childhood
 - Add Pica in infancy or childhood, in remission
 - Add Excludes1: pica in adults (F50.83)

ICD-10 2025 - Ch 6 Diseases of the nervous system (G00-G99)

G93.4 Other and unspecified encephalopathy

NEW CODE

- G93.45 Developmental and epileptic encephalopathy
 - Early infantile epileptic encephalopathy

ICD-10 2025 - Ch 6 Diseases of the nervous system (G00-G99)

NEW CODE

G90.81 Serotonin syndrome

- Serotonin toxicity
- Code first poisoning due to drug or toxin

ICD-10 2025 - Ch 10 Diseases of the respiratory system (J00-J99)

J34.8 Other specified disorders of nose and nasal sinuses

NEW CODES

- J34.82 Nasal valve collapse
 - J34.820 Internal nasal valve collapse
 - J34.8200 Internal ... collapse, unspecified
 - J34.8201 Internal ... collapse, static
 - J34.8202 Internal ... collapse, dynamic
 - J34.821 External nasal valve collapse
 - J34.8210 External ... collapse, unspecified
 - J34.8211 External ... collapse, static
 - J34.8212 External ... collapse, dynamic
 - J34.829 Nasal valve collapse, unspecified

2025 ICD Changes - Guidelines

No meaningful outpatient Pediatric
changes to ICD 2025 Guidelines



2025 CPT Changes

Effective 1/1/25

CPT 2025: E&M

NEW - New Patient

Synchronous audio-video E&M, **New Pt**, requires medically appropriate hx &/or exam; MDM or Total time on DOS


- 98000 ...straightforward MDM or at least 15 mins
- 98001 ...low MDM or at least 30 mins or more
- 98002 ...moderate MDM or time 45 mins or more
- 98003 ...high MDM or time 60 mins or more

CPT 2025:

E&M

NEW - Established Patient

Synchronous audio-video E&M, **Est Pt**, requires medically appropriate hx &/or exam; MDM or Total time on DOS

- 
- 98004 ...straightforward MDM or at least 10 mins
 - 98005 ...low MDM or at least 20 mins or more
 - 98006 ...moderate MDM or time 30 mins or more
 - 98007 ...high MDM or time 40 mins or more



CPT 2025:

E & M

NEW - New Patient

Synchronous audio-only E&M, **New Pt**, w/medically appropriate hx &/or exam; At least least 10 minutes of medical discussion required

- 98008 ... straightforward MDM or at least 15 mins managing patients care that day
- 98009 ... low MDM or at least 30 mins management
- 98010 ...moderate MDM or at least 45 mins management
- 98011 ...high MDM or at least 60 mins management

CPT 2025:

E & M

NEW - Established Patient

Synchronous audio-only E&M, **Est Pt**, w/medically appropriate hx &/or exam; At least 10 minutes of *medical* discussion required

- 98012 ... straightforward MDM or at least 10 mins managing patients care that day
- 98013 ... low MDM or at least 20 mins management
- 98014 ... moderate MDM or at least 30 mins management
- 98015 ... high MDM or at least 40 mins management

CPT 2025:

E & M

NEW:

98016 Brief communication technology-based service (eg, virtual check-in) by a MD/QHCP who can report E&Ms, established pt, not originating from a related E&M within previous 7d nor leading to E&M or procedure w/in next 24h/ soonest available, 5-10 mins medical discussion

CPT 2025:

E & M


Grammatical change only for:

- Non-Physician QHCP Phone A&M
 - 98966, 98967, 98968
- Non-Physician QHCP Online Digital A&M
 - 98970, 98971, 98972

“qualified nonphysician health care professional”

changed to become

“nonphysician qualified health care professional”





CPT 2025:

E & M

NEW: Education for patient self-management

- 98960 - Education and training for patient self-management by a nonphysician qualified health care professional using a standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual patient
- 98961 - 2-4 patients
- 98962 - 5-8 patients

CPT 2025: E&M -

Removed


The following telephone E&M service codes are removed:

- ~~99441 - Telephone evaluation and management service by a physician or other qualified health care professional who may report evaluation and management services provided to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion~~
- ~~99442 - 11-20 minutes of medical discussion~~
- ~~99443 - 21-30 minutes of medical discussion~~

CPT 2025: LABS

NEW

- 87626 - Human Papillomavirus (HPV), separately reported high-risk types (eg, 16, 18, 31, 45, 51, 52) and high-risk pooled result(s)
- 86581 - Streptococcus pneumoniae antibody (IgG), serotypes, multiplex immunoassay, quantitative
- 87513 - Helicobacter pylori (H. pylori), clarithromycin resistance, amplified probe technique



CPT 2025: LABS

CHANGED

- 87624 - Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68), pooled result

Added “pooled Result” to the end of the code descriptor

CPT 2025: Vaccines - NEW

- 90684 - Pneumococcal conjugate vaccine, 21 valent (PCV21), for intramuscular use
- 90624 - Meningococcal pentavalent vaccine, Men B-4C recombinant proteins and outer membrane vesicle and conjugated Men A, C, W, Y-diphtheria toxoid carrier, for intramuscular use



CPT 2025: Vaccine Admin - NEW

- 96380 - Administration of respiratory syncytial virus, monoclonal antibody, seasonal dose by intramuscular injection, with counseling by physician or other qualified health care professional
- 96381 - Administration of respiratory syncytial virus, monoclonal antibody, seasonal dose by intramuscular injection

These admin codes are used in conjunction with 90380, 90381



CPT 2025: Flu Vaccines

NEW

- 90637 - Influenza virus vaccine, quadrivalent (qIRV), mRNA; 30 mcg/0.5 mL dosage, for intramuscular use
- 90638 - Influenza virus vaccine, quadrivalent (qIRV), mRNA; 60 mcg/0.5 mL dosage, for intramuscular use
- 90695 - Influenza virus vaccine, H5N8, derived from cell cultures, adjuvanted, for intramuscular use

CHANGED

- 90661 - Influenza virus vaccine, trivalent (ccIV3), derived from cell cultures, subunit, ~~preservative and antibiotic free~~, 0.5 mL dosage, for intramuscular use

CPT 2025: Flu Vaccines-Removed


- ~~90630 – Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for intradermal use~~
- ~~90654 – Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, for intradermal use~~



CPT 2025: COVID Vaccines

The only previously used COVID-19 vaccine product code in use is 91304

One admin code for all COVID-19 Vaccine Products - 90480



CPT 2025: COVID Vaccines - CHANGED

- 91304 - Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, ~~preservative-free~~, 5 mcg/0.5 mL dosage, for intramuscular use

CPT 2025: COVID Vaccines - NEW

- 91318 SARS-Cov-2 mRNA-LNP 6mo-4 yrs Pfizer
- 91319 SARS-Cov-2 mRNA-LNP 5 yrs-11 yrs Pfizer
- 91320 SARS-Cov-2 mRNA-LNP 12 yrs and +Pfizer
- 91321 SARS-Cov-2 mRNA-LNP 6mo-11 yrs Moderna
- 91322 SARS-Cov-2 mRNA-LNP 12 yrs and +Moderna

One Admin Code will be used for all COVID-19 vaccines

- 90480 - Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, single dose

CPT 2025: COVID Vaccines - Removed

- ~~• 91300 SARS-Cov-2 mRNA-LNP 12 yrs and + Pfizer~~
- ~~• 91301 SARS-Cov-2 mRNA-LNP -12 yrs and + Moderna~~
- ~~• 91302 SARS-Cov-2 DNA 18 yrs and + AstraZeneca~~
- ~~• 91303 SARS-Cov-2 DNA 18 yrs and + Janssen~~
- ~~• 91305 SARS-Cov-2 mRNA-LNP 12 yrs and + Pfizer~~
- ~~• 91306 SARS-Cov-2 mRNA-LNP -18 yrs and + Moderna~~
- ~~• 91307 SARS-Cov-2 mRNA-LNP -5 yrs -11 yrs Pfizer~~
- ~~_____ mRNA-LNP -6m -4 yrs Pfizer~~

CPT 2025: COVID Vaccines - Removed - Cont.

● 91309	SARS-Cov-2	mRNA-LNP	-6 yrs-11 yrs	Moderna
● 91310	SARS-Cov-2	-monovalent	-18 yrs +	-Sanofi-Pasteur
● 91311	SARS-Cov-2	mRNA-LNP	-6m-5 yrs	Moderna
● 91312	SARS-Cov-2	mRNA-LNP	-12 yrs and +	Pfizer
● 91313	SARS-Cov-2	mRNA-LNP	-12 yrs and +	Moderna
● 91314	SARS-Cov-2	mRNA-LNP	-6m-11 yrs	Moderna
● 91315	SARS-Cov-2	mRNA-LNP	-5-11 yrs	Pfizer
● 91316	SARS-Cov-2	mRNA-LNP	-6m-5 yrs	Moderna
● 91317	SARS-Cov-2	mRNA-LNP	-6m-4 yrs	Pfizer

CPT 2025: COVID Vaccine Admin - Removed

● ~~91300~~

○ ~~0001A, 0002A, 0003A, 0004A~~

● ~~91301~~

○ ~~0011A, 0012A, 0013A~~

● ~~91302~~

○ ~~0021A, 0022A~~

● ~~91303~~

○ ~~0031A, 0034A~~

● ~~91304~~

○ ~~0041A, 0042A, 0044A~~

● ~~91305~~

○ ~~0051A, 0052A, 0053A, 0054A~~

● ~~91306~~

○ ~~0064A~~

● ~~91307~~

○ ~~0071A, 0072A, 0073A, 0074A~~

● ~~91308~~

○ ~~0081A, 0082A, 0083A~~

● ~~91309~~

○ ~~0091A, 0092A, 0093A, 0094A~~

CPT 2025: COVID Vaccine Admin - Removed - Cont.

● ~~91310~~

○ ~~0104A~~

● ~~91311~~

○ ~~0111A, 0112A, 0113A~~

● ~~91312~~

○ ~~0121A, 0124A~~

● ~~91313~~

○ ~~0134A~~

● ~~91314~~

○ ~~0141A, 0142A, 0144A~~

● ~~91315~~

○ ~~0151A, 0154A~~

● ~~91316~~

○ ~~0164A~~

● ~~91317~~

○ ~~0171A, 0172A, 0173A, 0174A~~

Resource s

COVID-19

- [AMA lab testing & vaccine codes](#)
(Complete form to receive .xls)



Many
Thanks

!

**What questions do
you have?**

Jan Blanchard, CPC, CPMA

jan@pcc.com